Square Clip[™]

CONNECTORS FOR DECK TILES

Timber and composite decking





www.novlek.com

BENEFITS



QUICK AND EASY TO INSTALL AND DISMANTLE



TILES FIXED TO EACH OTHER



REUSABLE AFTER DISMANTLING



ABSORBS THE NATURAL MOVEMENT OF THE WOOD

WATER DRAINAGE SYSTEM

AUTOMATIC, EVEN SPACING

OF TILES





EXTREMELY DURABLE

Installation template

The base of the connector (without the nipples) acts as a template for placing and drilling the fastener holes on the underside of the tile at the 4 corners.



Fir tree shaped fastening clip, designed to absorb the natural movements of the wood.

Removable elastomeric assembly nipple

This fixes the connector firmly to the tile. Allows tiles to be removed.

Cutting guides

The connector can easily be cut into 2 or 4 pieces for exterior edges and decking corners.





1/2 connector with spacer shims

1/4 connector without spacer shims

Screw markings

The connector can be screwed to its support to prevent any risk of movement. There are 17 screw markings distributed across the entire surface.

Spacer and placement shims

Ensures automatic, even and consistent spacing of 5 mm between tiles.

Channels for discharging water and for ventilation

Many oriented channels with 2-3% slope cover the surface of the connector, in order to provide efficient drainage of water, and ventilation for the tile. This avoids any risk of water being trapped on the connector. The tiles stay perfectly dry, giving them a longer lifespan.

Base of connector

Manufactured from high-performance polypropylene to ensure outstanding compression resistance.

Channels for discharging water

Many oriented channels cover the underside of the Square Clip[™] to ensure run-off and discharge of water between the connector and the ground.

Rounded edges

The edges on the underside of the connector are rounded, to avoid piercing the supporting surface.



USE

Easy to install and to dismantle, the Square Clip[™] allows the assembled decking or flooring tiles to be endlessly reorganised and rearranged. The tiles are fixed firmly to each other, with no risk of shifting.









The Square Clip[™] connector can be placed or screwed directly onto the support structure (concrete floor, joists, pedestals, etc.) A tile can be removed without having to dismantle the whole layout, and without damaging the connector.



Installation template

The base of the Square Clip^{TM} acts as a template for placing and drilling the holes in order to install the connectors on the underside of the tile at the 4 corners.

Some manufacturers offer pre-drilled tiles.



Putting nipples in place in the base

The nipples simply clip into the base. They are designed to be easy to clip but difficult to unclip, so that they do not come out when they are put in place in the tile.



Installation of the connector

The fir tree shape of the elastomer nipples ensures quick and easy installation with the connector held tightly and firmly in the tile.



The tiles are isolated from the ground

The Square Clip[™] keeps the tiles isolated from the ground or from their support, so they are never in prolonged contact with water or moisture.

Square Clip[™] guarantees greater stability and longevity.

EVEN, CONSISTENT SPACING



The Square Clip™ connector is completely invisible. The integrated spacers can be cut so that nothing protrudes around the outer edge.







CONTENTS

Square Clip™ <mark>4 pieces | ± 1 m</mark>²

Deck tiles: 50 cm x 50 cm

Model	Article code	EAN code	Bag		Box 30 Bags/Box		Pallet 1080 Bags/Pallet	
			Dimensions (mm)	Weight	Dimensions (mm)	Weight	Dimensions (mm)	Weight
PP	SQ-04-01	5425 03355 060 8	177 x 45 x 260	0,24 kg	395 x 260 x 400	7,57 kg	1200 x 800 x 1750	298 kg





The information shown in this document is given for information purposes and is not contractual. It may be changed at any time without prior notice. All rights reserved ARCHIWOOD sprl.



CONTENTS

x 160



Square Clip™

40 pieces | ± 10 m²

Deck tiles: 50 cm x 50 cm



-			
FT			-
H	-		
П			
Ħ			
La	T	-	

Model	Article code	EAN code	Bucket		Pallet 72 Buckets/Pallet	
			Dimensions (mm)	Weight	Dimensions (mm)	Weight
PP	SQ-040-01	5425 03355 062 2	390 x 240 x 205	2,72 kg	1200 x 800 x 1710	221 kg





The information shown in this document is given for information purposes and is not contractual. It may be changed at any time without prior notice. All rights reserved ARCHIWOOD sprl.







CONTENTS

Square Clip™ <mark>100 pieces | ± 25 m²</mark>

Deck tiles: 50 cm x 50 cm

k tiles: 50 cm x 5	0 cm						
Model	Article code	EAN code	Box		Pallet 36 Boxes/Pallet		
			Dimensions (mm)	Weight	Dimensions (mm)	Weight	
PP	SQ-100-01	-	395 x 260 x 240	5,84 kg	1200 x 800 x 1110	235 kg	





The information shown in this document is given for information purposes and is not contractual. It may be changed at any time without prior notice. All rights reserved ARCHIWOOD sprl.